

Drug / Product	Developed by	Use	Side Effect for Legal Action
<b>Actos</b>	Takeda International / Eli Lilly and Company	Type 2 diabetes	Bladder Cancer
<b>Accutane (Generic Brand):</b> - Amnesteem - Claravis - Clarus - Decutan - Izotek - Oratane - Sotret	Hoffman-LaRoache	Acne	Inflammatory Disease Crohns Disease Inflammatory Bowel Disease Ulcerative Colitis Birth defects Suicide
<b>Avandia</b>	GlaxoSmithKline	Type 2 diabetes	Congestive heart failure Heart attack Heart blockage or cardiovascular ischemia Hemorrhagic stroke Ischemic stroke Sudden cardiac death
<b>BARD IVC Filter Systems</b> <b>C.R. BARD and BARD</b>	Peripheral Vascular, Inc.	Inferior vena cava filters implanted in order to filter blood clots that travel from lower parts of body to the heart or lungs. These clots are called deep vein thrombosis or DVT	Death Constant severe pain in the heart or chest Pulmonary embolus Hemorrhage Perforation of tissue, vessels and organs
<b>Baxter HomeChoice Automated Peritonela Dialysis System - Model Numbers:</b>	Baxter Healthcare Corp.	Peritoneal Dialysis System	Overfill patient's abdominal cavity with Automated Peritonela Peritonitis Hydrothorax Acute Hypertension Pulmonary edema Abdominal wall or diaphragmatic hernias Heart failure Death
<b>Baxter HomeChoice PRO Automated Peritonela Dialysis System – Model numbers:</b> - 5C8310 - 5C8310R - R5C8320 - R5C8320R - T5C8300 - T5C8300R	Baxter Healthcare Corp.	Peritoneal Dialysis System	Overfill patient's abdominal cavity with -Peritonitis -Hydrothorax -Acute Hypertension -Pulmonary edema -Abdominal wall or diaphragmatic hernias -Heart failure -Death
<b>Celexa (citalopram)</b>	Forest Laboratories	Anti-depressants	Birth defects Persistent Pulmonary Hypertension of the Newborn (PPHN) Cranial defects (craniosynostosis) Abdominal defects Heart defects
<b>Celebrex</b>	Pfizer Pharmacaetical	Non-steroidal anti-inflammatory drug	Life-threatening heart or circulation Stroke Heart attack Stevens Johnson Syndrome

<b>Chantix</b>	Pfizer Pharmacaetical	Decrease smoking and tobacco use	Depression (suicidal thoughts and tendencies) Aggressive Behavior Liver Failure Hepatitis Steven Johnson Syndrome
<b>Crestor (Rosuvastatin)</b>	AstraZeneca Pharmaceutical	Reduce "bad" cholesterol while raising "good" cholesterol	Cardiovascular injury or death Liver damage and liver death Congestive heart failure Kidney failure Immune-mediated necrotizing myopathy
<b>Denture Cream:</b> - Poligrip - SuperPoligrip - Fixodent	GlaxoSmithKline / Proctor & Gamble	Denture adhesive	Neurological problems Peripheral neuropathy Zinc toxicity Copper deficiency Difficulty walking Instability and poor balance Loss of ability to move arms, hands & legs Loss of strength Numbness or tingling in the extremities Weakness
<b>Depro-Provera (intramuscular injection)</b>	Pfizer, Inc	Hormonal contraceptive	Osteopenia or Osteoporosis (loss of bone mass density)
<b>Depakote</b>	Abbott Laboratories	Epilepsy	The FDA released reports concluding that the use of Depakote (valproic acid) during the first trimester of pregnancy has been associated with an increased risk of spinal cord defects (e.g. spina bifida) in the fetus. Bleeding and liver problems, as well as other birth defects have been reported too.
<b>Darvan/Darvocet (Propoxyphene)</b>	Xanodyne Pharmaceuticals	Narcotic Pain Medication	Death or injury should have occurred within 24 hours of using drug. Use must be after January 1, 2006 Death certificate must indicate: -arrhythmia -ventricular fibrillation -bradyarrhythmia -heart attack  Injury must diagnosed with: -Arrhythmia -Irregular heart beat -Heart attack -Ventricular fibrillation -Long QT syndrome -Atrial fibrillation  AND Received an ICD or similar device implanted to monitor and regulate the heart; OR Proof of the heart injury (EKG, holter monitor, event monitor stress test, etc.)

<b>DePuy ASR &amp; ASR XL Acetabular Components (Cup) Recall</b>	DePuy Orthopaedics Inc. / Johnson & Johnson	Loosening Fracture Dislocation	Pain, Difficulty walking Swelling Blood test results that show high levels of chromium and cobalt caused by metal debris Clicking, popping or grinding Device failure from loosening that results from bone loss Dislocation (the two parts of the implant move against one another and become misaligned) Fracture (bone around the implant breaking) Loosening in the hip joint (implant fails to stay attached to the bone in the correct position) Metal debris (component parts move together resulting in flecks of metal shavings that spread around the area surrounding the implant and destroy soft bone and tissue) Any of the above symptoms or related conditions that result in revision surgery to remove a Depuy hip device
<b>Digetek (Digoxin)</b>	Actavis Tottowa, LLC / "Bertek" / "UDL Laboratories"	Irregular heartbeat (atrial fibrillation), Faster than normal heartbeat (atrial flutter), Congestive heart failure	Digitalis toxicity Cardiac instability Renal infarction Sudden cardiac death Low blood pressure
<b>Erythropoiesis Stimulating Agent (ESA)</b>		Treat blood-disorder anemia in patients with kidney failure or undergoing chemotherapy	Death Accelerate tumor growth with cancer or undergoing chemotherapy (cervical and breast)
<b>Fosomax (alendronate)</b>	Merck & Co., Inc.	Osteoporosis, Paget's disease	Femur fractures Osteonecrosis of the jaw (ONJ) ("Dead Jaw Syndrome") Osteomyelitis
<b>Gadolinium/NSF:</b> - Omniscan - OptiMARK - Magnevist - MultiHance - ProHance	GE Healthcare Inc / Pharmaceutical Inc / Bayer HealthCare / Mallinckrodt inc. / Diagnostics Inc & Novation, LLC	Contrast material injected during MRI to provide greater contrast between normal tissue and abnormal tissue (NFD) in the body and brain.	Diagnosed with Nephrogenic Nephrogenic Fibrosing Dermotherapy Systemic Fibrosis (NSF) or
<b>Heparin</b>	Baxter Healthcare Corporation	Injectable anticoagulate Contaminated Heparin	Difficulty breathing Nausea and vomiting Rapidly failing blood pressure that leads to life threatening shock
<b>Hydroxycut</b>	Muscle Tech Research & Development	Dietary supplement	Liver damage

<p><b>Kugel Hernia Patch</b></p>	<p>Duval Inc. - a subsidiary of C.R. Bard</p>	<p>Hernia patch is used to repair ventral (incisional) hernias caused by thinning or stretching of scar tissue that forms after surgery.</p>	<p>Bowel or intestinal perforations  External fistulas  Abdominal abscess formation  Bowel paralysis  Corrective surgery  Distended abdomen  Fluid in abdomen  Internal fistulas  Pelvic inflammatory disease  Peritonitis  Persistent surgical site drainage  Sepsis</p> <p><b>The following Bard Composix Kugel Mesh Patch devices that have been recalled:</b></p> <ul style="list-style-type: none"> <li>- Bard Composix Kugel Extra Large Oval, 8.7" x 10.7", 10.8" x 13.7", 7.7" x 9.7" All lot numbers manufactured before January 2006</li> <li>- Bard Composix Kugel Oval, 6.3" x 12.3" All lot numbers manufactured before March 2006</li> <li>- Bard Composix Kugel Large Oval, 5.4" x 7.0" Lot numbers manufactured before October 2005</li> <li>- Bard Composix Kugel Large Circle, 4.5" Lot numbers manufactured before October 2005</li> </ul>
<p><b>Levaquin</b></p>	<p>Ortho-McNeil-Janssen Pharmaceuticals</p>	<p>Antibiotic for lung, sinus, skin and urinary tract infections</p>	<p>Ruptured tendons</p>
<p><b>Lexapro (escitalopram)</b></p>	<p>Forest Laboratories</p>	<p>Anti-depressants</p>	<p>Birth defects  -Persistent Pulmonary Hypertension of the Newborn (PPHN)  -Cranial defects (craniosynostosis)  -Abdominal defects  -Heart defects</p>
<p><b>Medtronic CD Horizon Spinal System Agile Dynamic Stabilization Device</b></p>	<p>Medtronic Sofamor DAMEK USC, Inc.</p>	<p>Surgically attached to the spine to alleviate pain in the back and legs used as an adjunct to spinal fusion of the the thoracic, lumbar and sacral spine for degenerative disc disease</p>	<p>Shearing, Cable breaks (Removal and replacement surgery)</p>
<p><b>Mirena IUD</b></p>	<p>Bayer HealthCare Pharmaceutical</p>	<p>Contraceptive protection</p>	<p>Perforation of uterus  Embedment in uterus  Abscesses  Erosion of adjacent areas such as the vagina  Infertility  Inflammation of the membrane that lines the abdominal cavity and internal organs (peritonitis)  Intestinal perforation or obstruction</p>
<p><b>Multaq</b></p>	<p>Sanofi Aventis</p>	<p>Atrial fibrillation (Heart rhythm disorder)</p>	<p>Liver failure  Liver transplant  Heart failure  Stroke  Death  Pelvic Inflammatory Disease  Perforation of the uterus  Liver damage</p>

<b>NuvaRing</b>	Organon USA, Inc. / Organon USA Pharmaceuticals	Vaginal Ring Contraceptive	Blood clots Toxic Shock Syndrome Stroke or cerebral hemorrhage Deep Vein Thrombosis (DVT) Heart attack Pulmonary embolism Cerebral thrombosis Retinal thrombosis
<b>OrthoEvra Contraceptive Patch</b>	Johnson & Johnson	Weekly prescription patch, Method of birth control	Stroke Heart attack Pulmonary embolism Deep vein thrombosis (DVT) Death
<b>Paxil (paroxetine)</b>	GlaxoSmithKline	Anxiety Disorder, Obsessive Compulsive Disorder and Depression	Heart malformations in infants
<b>Pradax</b>	Boehringer Ingelheim	Anticoagulant (Blood-thinner)	Fatal Bleeding
<b>Pradaxa</b>	Boehringer Ingelheim	Reduce the risk of stroke and systemic embolism in patients with atrial fibrillation	Death Extended Hospitalization Gastrointestinal bleed Hemorrhagic Stroke Trauma-induced atypical bleeding event
<b>Prozac (fluoxetine)</b>	Eli Lilly	Anti-depressant	Birth defects -Cleft palate -Cleft lip -Club feet -Asthma -Limb reduction -Persistent Pulmonary Hypertension of the Newborn (PPHN)
<b>Reglan (metoclopramide)</b>	Baxter Pharmaceutical	Heartburn, Gastroesophageal Reflux Disease (GERD)	Tardive dyskinesia involuntary movements of face, tongue or extremities
<b>Stevens Johnson Syndrome (SJS) / Toxic Epidermal Necrolysis (TEN)</b>	Various Drug Companies	Various Medications: Allopurinol, Bactrine and other sulfa antibiotics, Carbamazepine, mood stabilizers such as Tegretol, Celebrex or other Cox-2 inhibitors, Ibuprofen (Advil and Motrin), Nonsteroidal anti-inflammatory (Daypro, etc.)	Blindness Severe burns Hearing loss Organ failure Death
<b>Tekturna</b>	Novartis Pharmaceuticals Corp.	Blood Pressure / Hypertension	Stroke Serious heart problems Kidney complications
<b>Topamax (Topiramate)</b>	Jansen Pharmaceutical, Inc.	Epilepsy / Migraine headaches	Taken during pregnancy may cause birth defects - Cleft palat - Cleft lip - Fetal or skeletal deformities

<b>Transvaginal Mesh (Implanted after 2001)</b>	Johnson & Johnson / C.R. Bard / Boston Scientific / American Medical System / Mentor	Stress urinary incontinence (SUI) / Pelvic organ prolapse (POP)	<p>Mesh erosion through vaginal wall  Infection  Pelvic organ prolapse (POP)  Extreme pain  Urinary problems  Prolapse recurrence  Bladder-bowel perforation  Scarring  Pain during sexual intercourse  Organ damage (bladder, urethra)  Replacement/repair surgery</p> <p><b>Types of Sling Implants:</b>  Tension-free Transvaginal (TVT) Sling  TransObturator Tape (TOT) Sling  Mini-Sling</p>
<b>Trasylol/Arotinin</b>	Bayer Pharmaceutical Corp.	Protein used during heart bypass surgery and liver surgery to limit patient bleeding. (Enhance blood clotting and reduce the need for blood transfusions during complex surgeries)	<p>Death  Kidney damage</p>
<b>Viagra (sildenafil)</b>	Pfizer Pharmaceutical	Treat Male Sexual Function (impotence or erectile dysfunction)	<p>Non Arteritic Ischemic Optic Neuropathy (NAION),  Sudden hearing loss</p>
<b>Welbutrin (bupropion hydrochloride)</b>	GlaxoSmithKline	Treat major depressive disorders	<p>Congenital heart defects in infants (Left outflow heart defects)</p>
<b>Yasmin, Yaz</b>	Bayer Healthcare Pharmaceuticals Inc.	Oral Contraceptive	<p>Deep vein thrombosis (DVT)  Pulmonary embolism  Stroke  Heart attack or myocardial infarction  Renal failure  Gallbladder disease  Death</p>
<b>Zicam</b>	Matrixx Initiatives, Inc	Homeopathic medicine that acts to reduce the duration and severity of the common cold	<p>Loss of smell and taste</p>
<b>Zimmer Durom Hip Component</b>	Zimmer Holding, Inc.	Hip replacement component	<p>Fail to fuse properly with bone instead separating and migrating into body. When Durom cup moves it presses metal hip socket against bone causing pain.  Hip revision surgery  Metal monitoring  Rehabilitation</p>
<b>Zelnorm</b>	Novartis Pharmaceutical	Chronic constipation, Irritable Bowel Syndrome	<p>Heart attack (myocardial infarction)  Stroke  Ischemic Colitis  Intestinal Ischemia  Colonic Ischemia</p>

<p><b>Zoloft (Sertraline Hydrochloride)</b></p>	<p>Pfizer, Inc.</p>	<p>Anti-depressant</p>	<p>Congenital heart defects  Atrial ventricular defects (ASD)  Ventricular septal defects (ASD)  Persistent Pulmonary Hypertension of the Newborn (PPHN)  Cleft lip  Cleft palate  Skull defect (craniosynostosis)  Clubfoot (one or both feet turned downward or inward)  Increased Autism spectrum  Abdominal wall defect (infant omphalocele)  Anal atresia (complete or partial closure of the anus)</p>
<p><b>Zyban</b></p>	<p>GlaxoSmithKline</p>	<p>Smoking cessation drug</p>	<p>Heart defects in infants  Depression</p>